

WEST

Your wildcard search against 2000 terms has yielded the results below

Search for additional matches among the next 2000 terms

Generate Collection

Search Results - Record(s) 1 through 10 of 38 returned.

☐ 1. Document ID: US 6069127 A

L1: Entry 1 of 38

File: USPT

May 30, 2000

US-PAT-NO: 6069127

DOCUMENT-IDENTIFIER: US 6069127 A

TITLE: Secreted mac-2-binding glycoprotein

| | | | | | | | | | | | |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KMAC | Draw Desc | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 2. Document ID: US 6066460 A

L1: Entry 2 of 38

File: USPT

May 23, 2000

US-PAT-NO: 6066460

DOCUMENT-IDENTIFIER: US 6066460 A

TITLE: Method for cloning secreted proteins

| | | | | | | | | | | | |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KMAC | Draw Desc | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 3. Document ID: US 6054564 A

L1: Entry 3 of 38

File: USPT

Apr 25, 2000

US-PAT-NO: 6054564

DOCUMENT-IDENTIFIER: US 6054564 A

TITLE: Thermostable ligase mediated DNA amplification system for the detection of genetic diseases

| | | | | | | | | | | | |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KMAC | Draw Desc | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 4. Document ID: US 6046307 A

L1: Entry 4 of 38

File: USPT

Apr 4, 2000

US-PAT-NO: 6046307
DOCUMENT-IDENTIFIER: US 6046307 A
TITLE: Modulation of mammalian telomerase by peptide nucleic acids

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWMC | Draw Deso | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 5. Document ID: US 6015710 A

L1: Entry 5 of 38

File: USPT

Jan 18, 2000

US-PAT-NO: 6015710
DOCUMENT-IDENTIFIER: US 6015710 A
TITLE: Modulation of mammalian telomerase by peptide nucleic acids

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWMC | Draw Deso | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 6. Document ID: US 6001582 A

L1: Entry 6 of 38

File: USPT

Dec 14, 1999

US-PAT-NO: 6001582
DOCUMENT-IDENTIFIER: US 6001582 A
TITLE: Inhibitor of NF- κ B transcriptional activator and uses thereof

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWMC | Draw Deso | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 7. Document ID: US 6001605 A

L1: Entry 7 of 38

File: USPT

Dec 14, 1999

US-PAT-NO: 6001605
DOCUMENT-IDENTIFIER: US 6001605 A
TITLE: Gro genes

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWMC | Draw Deso | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 8. Document ID: US 5994060 A

L1: Entry 8 of 38

File: USPT

Nov 30, 1999

US-PAT-NO: 5994060
DOCUMENT-IDENTIFIER: US 5994060 A
TITLE: Gro genes, proteins, and uses thereof

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWMC | Draw Deso | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 9. Document ID: US 5977323 A

L1: Entry 9 of 38

File: USPT

Nov 2, 1999

US-PAT-NO: 5977323

DOCUMENT-IDENTIFIER: US 5977323 A

TITLE: Method of purifying Gro .beta. or Gro .alpha. protein using antibodies

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | RMNC | Draw Desc | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 10. Document ID: US 5965382 A

L1: Entry 10 of 38

File: USPT

Oct 12, 1999

US-PAT-NO: 5965382

DOCUMENT-IDENTIFIER: US 5965382 A

TITLE: Nucleic acid encoding secreted Mac-2 binding glycoprotein

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | RMNC | Draw Desc | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

Generate Collection

| Term | Documents |
|---|-----------|
| NON.USPT. | 1046329 |
| NONS.USPT. | 15 |
| IONIC.USPT. | 78280 |
| IONICS.USPT. | 1627 |
| DETERGENT.USPT. | 37598 |
| DETERGENTS.USPT. | 31380 |
| RNA.USPT. | 27386 |
| RNAS.USPT. | 5611 |
| EXTRACTS | 0 |
| EXTRACT.USPT. | 129882 |
| (NON IONIC DETERGENT SAME RNA SAME EXTRACTS) .USPT. | 38 |

There are more results than shown above. [Click here to view the entire set.](#)

Display

10

Documents, starting with Document:

11

Display Format:

TI

Change Format

WEST

☐ Generate Collection

L1: Entry 17 of 38

File: USPT

Nov 3, 1998

DOCUMENT-IDENTIFIER: US 5830711 A

TITLE: Thermostable ligase mediated DNA amplification system for the detection of genetic diseases

DEPR:

Human genomic DNA was isolated from 0.5 ml whole blood [see PCR Technology, H. A. Erlich editor, Stockton Press (1989) pg 36]. Whole blood (0.5 ml) was mixed with an equal volume of lysis buffer (10 mM Tris-HCl, pH 7.6, containing 5 mM MgCl₂, 0.2 and 0.32 M sucrose). After a brief centrifugation (1 min at 12,000 rpm in an eppendorf desktop centrifuge), the supernatant was very carefully removed, leaving 0.15 to 0.2 ml of supernatant and loosely pelleted nuclei. The pellet was resuspended with vortexing in an additional 0.5 ml lysis buffer, nuclei pelleted and the supernatant removed as above. This step was repeated three or four times until the supernatant was clear or just barely pink. After removal of the final supernatant (again leaving about 0.15 to 0.2 ml), 0.25 ml of LCR DNA Buffer containing non-ionic detergents (20 mM Tris-HCl, pH 7.6, containing 2 mM EDTA and 0.45% each of non-ionic detergents NP40 and Tween 20) was added. Any excess RNA was digested by the addition of 2 .mu.l of 4 mg/ml heat treated RNase A for 15 min at 37.degree. C. Any proteins were digested by the addition of 5 .mu.l of 10 mg/ml freshly made Proteinase K and incubation at 50.degree. C. for 1 to 2 hours. Proteinase K and RNase A were removed by sequential extractions with phenol, phenol/chloroform, chloroform, n-butanol (2.times.) and the nucleic acid recovered by precipitation with ethanol. Samples were boiled for 5 min prior to use in LCR assays.

WEST

Your wildcard search against 2000 terms has yielded the results below

Search for additional matches among the next 2000 terms

Generate Collection

Search Results - Record(s) 21 through 30 of 38 returned.

☐ 21. Document ID: US 5760203 A

L1: Entry 21 of 38

File: USPT

Jun 2, 1998

US-PAT-NO: 5760203

DOCUMENT-IDENTIFIER: US 5760203 A

TITLE: Gap gene sequences

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KIMC | Draw Deso | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 22. Document ID: US 5736340 A

L1: Entry 22 of 38

File: USPT

Apr 7, 1998

US-PAT-NO: 5736340

DOCUMENT-IDENTIFIER: US 5736340 A

TITLE: Secreted Mac-2-binding glycoprotein

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KIMC | Draw Deso | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 23. Document ID: US 5644035 A

L1: Entry 23 of 38

File: USPT

Jul 1, 1997

US-PAT-NO: 5644035

DOCUMENT-IDENTIFIER: US 5644035 A

TITLE: Method for purifying secreted Mac-2-binding glycoprotein

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KIMC | Draw Deso | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 24. Document ID: US 5618712 A

L1: Entry 24 of 38

File: USPT

Apr 8, 1997

US-PAT-NO: 5618712

DOCUMENT-IDENTIFIER: US 5618712 A

TITLE: Human lysozyme

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KMC | Draw Desc | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|-----|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|-----|-----------|-------|

☐ 25. Document ID: US 5494810 A

L1: Entry 25 of 38

File: USPT

Feb 27, 1996

US-PAT-NO: 5494810

DOCUMENT-IDENTIFIER: US 5494810 A

TITLE: Thermostable ligase-mediated DNA amplifications system for the detection of genetic disease

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KMC | Draw Desc | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|-----|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|-----|-----------|-------|

☐ 26. Document ID: US 5470569 A

L1: Entry 26 of 38

File: USPT

Nov 28, 1995

US-PAT-NO: 5470569

DOCUMENT-IDENTIFIER: US 5470569 A

TITLE: Recombinant colony stimulating factor-1

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KMC | Draw Desc | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|-----|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|-----|-----------|-------|

☐ 27. Document ID: US 5455330 A

L1: Entry 27 of 38

File: USPT

Oct 3, 1995

US-PAT-NO: 5455330

DOCUMENT-IDENTIFIER: US 5455330 A

TITLE: Interleukin-1 antagonist and uses thereof

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KMC | Draw Desc | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|-----|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|-----|-----------|-------|

☐ 28. Document ID: US 5112755 A

L1: Entry 28 of 38

File: USPT

May 12, 1992

US-PAT-NO: 5112755

DOCUMENT-IDENTIFIER: US 5112755 A

TITLE: Preparation of functional human urokinase proteins

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KMC | Draw Desc | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|-----|-----------|-------|
|------|-------|----------|-------|--------|----------------|------|-----------|--------|-----|-----------|-------|

☐ 29. Document ID: US 5104650 A

L1: Entry 29 of 38

File: USPT

Apr 14, 1992

US-PAT-NO: 5104650

DOCUMENT-IDENTIFIER: US 5104650 A

TITLE: Uses of recombinant colony stimulating factor-1

| | | | | | | | | | | | |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWIC | Draw Desc | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

☐ 30. Document ID: US 4959314 A

L1: Entry 30 of 38

File: USPT

Sep 25, 1990

US-PAT-NO: 4959314

DOCUMENT-IDENTIFIER: US 4959314 A

TITLE: Cysteine-depleted muteins of biologically active proteins

| | | | | | | | | | | | |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|
| Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWIC | Draw Desc | Image |
|------|-------|----------|-------|--------|----------------|------|-----------|--------|------|-----------|-------|

Generate Collection

| Term | Documents |
|--|-----------|
| NON.USPT. | 1046329 |
| NONS.USPT. | 15 |
| IONIC.USPT. | 78280 |
| IONICS.USPT. | 1627 |
| DETERGENT.USPT. | 37598 |
| DETERGENTS.USPT. | 31380 |
| RNA.USPT. | 27386 |
| RNAS.USPT. | 5611 |
| EXTRACT\$ | 0 |
| EXTRACT.USPT. | 129882 |
| (NON IONIC DETERGENT SAME RNA SAME EXTRACT\$)USPT. | 38 |

There are more results than shown above. [Click here to view the entire set.](#)

Display

10 Documents, starting with Document:

31

Display Format:

TI

Change Format

WEST

Generate Collection

L1: Entry 3 of 38

File: USPT

Apr 25, 2000

DOCUMENT-IDENTIFIER: US 6054564 A

TITLE: Thermostable ligase mediated DNA amplification system for the detection of genetic diseases

DEPR:

Human genomic DNA was isolated from 0.5 ml whole blood [see PCR Technology, H. A. Erlich editor, Stockton Press 1989] pg 36]. Whole blood (0.5 ml) was mixed with an equal volume of lysis buffer (10 mM Tris-HCl, pH 7.6, containing 5 mM MgCl₂ sub.2 and 0.32 M sucrose). After a brief centrifugation (1 min at 12,000 rpm in an eppendorf desktop centrifuge), the supernatant was very carefully removed, leaving 0.15 to 0.2 ml of supernatant and loosely pelleted nuclei. The pellet was resuspended with vortexing in an additional 0.5 ml lysis buffer, nuclei pelleted and the supernatant removed as above. This step was repeated three or four times until the supernatant was clear or just barely pink. After removal of the final supernatant (again leaving about 0.15 to 0.2 ml), 0.25 ml of LCR DNA Buffer containing non-ionic detergents (20 mM Tris-HCl, pH 7.6, containing 2 mM EDTA and 0.45% each of non-ionic detergents NP40 and Tween 20) was added. Any excess RNA was digested by the addition of 2 .mu.l of 4 mg/ml heat treated RNase A for 15 min at 37.degree. C. Any proteins were digested by the addition of 5 .mu.l of 10 mg/ml freshly made Proteinase K and incubation at 50.degree. C. for 1 to 2 hours. Proteinase K and RNase A were removed by sequential extractions with phenol, phenol/chloroform, chloroform, n-butanol (2X) and the nucleic acid recovered by precipitation with ethanol. Samples were boiled for 5 min prior to use in LCR assays.